

## Features

- Fast response welded exposed junction thermocouple.
- Sensor temperature rating -75 to +250°C
- PTFE insulated twin-twisted lead.
- IEC colour coded.
- The International Electrotechnical Commission (IEC) is an international standards organisation that prepares and publishes international standards.

## IEC Exposed Junction Thermocouple Type T 1/0.2mm PTFE 3m Tails

RS Stock No.: 2713144



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

## Product Description

Fast response welded exposed junction thermocouple available in Class 1 cable specification with a bare tail's termination. Ideal for test & development applications.

## General Specifications

General Description	Fast response, welded exposed junction thermocouple
Sensor Type	Exposed Junction
Thermocouple Type	T
Cable Length	3m (9.84ft)
Cable Type	PTFE insulated twin-twisted lead
Core / Strands	1/0.2mm
Termination Type	Bare Tails
Max. Temperature	+250°C
Min. Temperature	-75°C
Tolerance	Class 1
Standards Met	IEC-584-3

## Approvals

RoHS Compliant	Yes
Standards Met	IEC-584-3

## Similar Products

Stock No.	Colour Code	Style	Material	Cable Size	Termination	Calibration Type	Length
-----------	-------------	-------	----------	------------	-------------	------------------	--------

2713132	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	J	1m (3.3ft)
2713133	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	J	2m (6.56ft)
2713134	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	J	3m (9.84ft)
2713135	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	J	5m (16.4 ft)
2713136	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	J	10m (32.8ft)
2713137	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	K	1m (3.3ft)
2713138	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	K	2m (6.56ft)
2713139	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	K	3m (9.84ft)
2713140	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	K	5m (16.4 ft)
2713141	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	K	10m (32.8ft)
2713142	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	T	1m (3.3ft)
2713143	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	T	2m (6.56ft)
2713144	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	T	3m (9.84ft)
2713145	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	T	5m (16.4 ft)
2713146	IEC	TWIN TWISTED	PTFE	1/0.2mm	TAILS	T	10m (32.8ft)